

FEATURES

- * Tri-Brid (HD-AHD, HD-TVI, HD-CVI, Analog)
- * 1/3" 2.4Mp Sony / Aptina Sensor
- * 2.8 ~ 12mm Vari-Focal Lens
- * 10 Super IR, 0Lux
- * 12V DC, IP66
- * OSD Menu, Can Switch to Analog Mode
- * CoC Compatible (Control Over Coax)



HDA-IRB2M10HVF2-G

HDA-IRB2M10HVF2-W

SPECIFICATION

Camera	Image Sensor	1/2.7" Sony / Aptina Sensor
	Effective Pixels	1920(H)×1080(V)
	Electronic Shutter	PAL:1/50s~1/100,000s, NTSC:1/60s~1/100,000s
	Min. Illumination	0.01Lux @ F1.2, (0Lux IR on)
	Lens	2.8-12mm
	View Angle	100°-30.8°(H),64.5°-23.3°(V)
	S/N Ratio	≥45dB(Max 70 dB)
	Video Output	1.0Vp-p
	White Balance	Auto adaptive(Range 2200~10000K)
	WDR	N/A
	AGC	Automatic / manual
	BLC	Automatic / manual
	DNR	2D
Image	Compatibility	AHD / CVI / TVI / Analog
	Encode Mode	CBR
	Image Quality	Not adjustable under CBR
	Resolution	1080P (1920×1080)
	Video Frame Rate	PAL:25fps@1080P, NTSC:30fps@1080P
	Image Setting	Brightness, Contrast, Sharpness, DNR,Color gain,exposure,mode etc.
Functions	Remote Monitoring	By monitoring the video recorder
	Day&Night	Auto / Color / BW / EXT
	IR Distance	70-100m
	IR LED - count	Ø16 x 10 IR
	OSD Menu	Yes
	Protection	IP66
Others	Power supply	DC12V±10%
	power consumption	800mA
	Working Environment	-22°F ~ 140°F (-30°C ~ 60°C) Indoor 85% RH (no condensation)
	Dimension & Weight	10.2"(L) x 3.5"(W) x 5.1"(H) (260 x 90 x 130mm) / 1.7lbs (0.35kg)